
WAMBO COAL PTY LIMITED

**MONTHLY ENVIRONMENTAL MONITORING
REPORT**

February 2013

Table of Contents

1.0	INTRODUCTION.....	1
2.0	METEOROLOGICAL DATA.....	1
3.0	SURFACE WATER SAMPLING.....	1
4.0	GROUNDWATER SAMPLING.....	3
5.0	DEPOSITIONAL DUST SAMPLING	4
6.0	HIGH VOLUME AIR SAMPLING	5
7.0	BLAST EVENTS	5
8.0	REAL-TIME AIR QUALITY MONITORING.....	7

1.0 Introduction

This report presents environmental monitoring results for the reporting period **Friday 1 to Thursday 28 February 2013**. Monitoring during this period includes meteorological measurement, surface and ground water sampling, depositional dust sampling, High Volume Air Sampling, blasting events and PM10 real time air monitoring results. Real time noise monitoring results are reported in a quarterly format and can be found on the Peabody Wambo website at <http://www.peabodyenergy.com/content/404/Australia-Mining-New/New-South-Wales/Wambo-Mine>

2.0 Meteorological Data

Results for reporting period are available in **Appendix A**.

3.0 Surface Water Sampling

Surface water samples are collected in accordance with **AS/NZS 5667.4:1998 – Guidance on sampling from lakes, natural and man-made** and **AS/NZS 5667.6:1998 – Guidance on sampling of rivers and streams**. All samples collected were analysed in the field for **pH**, electrical conductivity (**EC**) and temperature. Selected sites were analysed in a **NATA*** accredited laboratory for total suspended solids (**TSS**) and total dissolved solids (**TDS**).

*National Association of Testing Authorities - NATA is the authority that provides independent assurance of technical competence.

Surface water reporting for the period recorded that EC and TDS levels were outside the criteria limits at SW44. Readings below equipment sensitivity for TSS were found at sites SW08 and SW07.

Table 1: Monthly Surface Water Results – February 2013

Sample Location	pH	EC (µS/cm)	TSS (mg/L)	TDS (mg/L)	Oil & Grease (mg/L)	Temp (°C)	Comments
WOLLOMBI BROOK							
Wollombi Brook							
SW01 - Wollombi Brook Up	7.30	231	9	174	-	-	-
SW03 - Wollombi Brook Pump Out	7.2	226	10	158	-	-	-
SW02 - Wollombi Brook Down	8.0	286	7	170	-	-	-
SW40 - Confluence with SWC	7.40	229	7	162	-	-	-
NORTH WAMBO CREEK							
North Wambo Creek							
SW04 - North Wambo Creek Up	-	-	-	-	-	-	Sample site dry
SW27 - North Wambo Creek Middle Lower	-	-	-	-	-	-	Sample site dry
SW32 - North Wambo Creek Pump	-	-	-	-	-	-	Sample site dry
SW05 - North Wambo Creek Down	7.30	629	96	544	-	-	-
SOUTH WAMBO/STONY CREEKS							
South Wambo/Stony Creek							
SW06 - South Wambo Creek	7.60	223	1	156	-	-	-
SW07 - South Wambo/Stony Creek	7.80	272	<1	152	-	-	-
SW08 - Stony Creek	7.4	250	<1	148	-	-	-
LONGFORD/DOCTOR'S CREEKS							
SW43 - Longford Creek Up	7.50	295	95	398	<2	-	-
SW44 – Longford Creek Down	7.50	610	15	525	<2	-	-
SW46 - Doctors Creek Up	7.60	924	18	586	<2	-	-
SW45 – Doctors Creek Down	7.50	923	17	585	<2	-	-
WATERFALL CREEK							
SW39 – Waterfall Creek Midstream	7.6	218	9	354	-	-	-
MINE WATER DAMS							
SW11 - West Cut Dam Pipe	Not Pumping						
SW12 - West Cut Dam	9.1	6470	-	-	-	-	-
SW14 - Box Cut Dam (Admin)	9.1	952	-	-	-	-	-
SW15 - Eagles Nest Dam	9.0	5520	22	4010	-	-	-
SW20 - Dam Adjacent to West Cut Dam	8.40	1,711	-	-	-	-	-
SW29 - SCB Dam	8.1	1,565	-	-	-	-	-
SW30 - Turkeys Nest	9.1	7200	-	-	-	-	-
SW31 - Gordon Below Franklin	9.1	4200	-	-	-	-	-
SW37 - Wollemi Sump	8.8	939	-	-	-	-	-
SW38 - Homestead Open Cut	8.80	8030	-	-	-	-	-
SW47 - NWU Pumpout Water	-	-	-	-	-	-	Sample site dry
SW48 - Inpit sample	8.2	6060	-	-	-	-	-
SW49 - Bates Pit Pumpout	8.1	2130	-	-	-	-	-
SW51 – South Dam	9.2	7610	-	-	-	-	-
SW50 - Hunter River Water	Not Pumping						-

Note: Figures in bold are outside trigger levels.

4.0 Groundwater Sampling

EC levels at sites P114, GW15 and GW22 were found to be outside of trigger levels. The sites P114 and P206 returned values outside of minimum criteria levels for depth to water.

Table 2: Ground Water Results – February 2013

Sample Location	pH	EC (µS/cm)	Depth to Water (m)	Temp (°C)	Comments
GW02	6.70	586	6.10	19.3	-
GW11	7.00	489	4.02	19.2	-
P106	6.90	472	8.50	21.1	-
P109	7.40	640	4.33	17.5	-
P110	7.00	593	4.25	18.6	-
P111	7.50	712	5.65	17.9	-
P114	6.60	4,430	5.53	19.3	-
P116	7.00	872	5.37	19.9	-
P202	7.80	5,960	7.50	19.3	-
P206	7.20	2,270	16.65	20.2	-
P301	6.60	6,450	15.95	19.7	-
P311	-	-	-	-	Collapsed
P315	7.10	273	4.00	20.5	-
GW12	-	-	-	-	Sample site dry
GW13	7.10	3,490	4.89	20.9	-
GW14	-	-	-	-	Sample site dry
GW15	6.30	621	10.80	20.0	-
GW16	7.50	359	5.03	18.4	-
GW17	7.50	5,070	10.39	19.4	-
GW18	-	-	-	-	Sample site dry
GW19	-	-	-	-	Sample site dry
GW20	GW20 is a vibration wire multi-piezometer installation				
GW21	-	-	-	-	Sample site dry
GW22	8.40	6,820	36.15	22.1	-
P1	*	*	*	*	-
P3	*	*	*	*	-
P5	*	*	*	*	-
P6	*	*	*	*	-
P11	*	*	*	*	-
P12	*	*	*	*	-
P13	*	*	*	*	-
P15	*	*	*	*	-
P16	*	*	*	*	-
P17	*	*	*	*	-
P18	*	*	*	*	-
P20	*	*	*	*	-

Note: All depths measured to top of casing, except United bores which are to ground. Figures in bold are outside trigger levels listed in Table 5 of the Ground Water Monitoring Programme (GWMP), which is part of the Site Water Management Plan.

* Represents data that is provided on a quarterly basis. The results are to be updated once available.

5.0 Depositional Dust Sampling

Sixteen (Table 3) depositional dust gauges were collected for the reporting period. Sampling and analysis is conducted in accordance with AS 3580.10.1 – 1991 – *Determination of particulates – Deposited matter – Gravimetric method*. All gauges were analysed for insoluble solids (IS) and ash residue (AS). Field observations include water quantity and quality, and any visible contaminants in the sample.

Table 3: Dust Deposition Results – February 2013

Site	Insoluble Solids (IS) (g/m ² .month)	Ash Residue (AR) (g/m ² .month)	IS:AR Ratio	IS YTD Average (g/m ² .month)	AR YTD Average (g/m ² .month)
D01	12.0	6.1	51	8.3	4.1
D03	4.3	3.5	81	3.6	2.4
D07	6.3	4.2	67	6.3	3.3
D09	8.1	4.2	52	6.8	3.5
# D11	5.8	4.7	81	2.7	2.0
# D12	3.7	2.9	78	4.2	3.0
# D17	13.4	4.3	32	3.3	1.5
D19	4.0	2.6	65	3.8	2.7
D20	2.7	1.5	56	2.0	1.4
# D21	2.60	2.00	77	2.2	1.6
# D22	2.7	2.3	85	2.1	1.7
D23	3.4	2.0	59	1.9	1.3
# D24	1.4	1.3	93	1.1	0.8
# D25	3.4	2.4	71	2.5	1.9
D26	2.0	1.3	65	1.8	1.2

Note: Results in **bold** are YTD average above 4g/m²/month
Results # are dust gauges not on WCPL owned land. DD gauges on Wambo Coal land and above criteria level are not considered non-compliance.

Insoluble solid results are reported on the **annual average** of **4g/m²/month** of all **uncontaminated results** which are not located on Wambo Coal owned land. Depositional dust gauge D12 was the only gauge that had a value higher than **4g/m²** within the reporting period.

6.0 High Volume Air Sampling

Four high volume air sampler (HVAS) operated at locations surrounding Wambo during the reporting period (Table 4). All units sampled Total Suspended Particulates (TSP) over a 24-hour period on a six day cycle, in accordance with AS 2724.3 – 1984 – *Determination of total suspended particulates (TSP) – High volume sampler gravimetric method*.

Table 4: HVAS Results – February 2013

Date of Run	HV01 - Coralie TSP ($\mu\text{g}/\text{m}^3$)	HV02 - Caban TSP ($\mu\text{g}/\text{m}^3$)	HV03 - Thelander TSP ($\mu\text{g}/\text{m}^3$)	HV04 - Muller TSP ($\mu\text{g}/\text{m}^3$)
02/02/2012	20.4	16.9	16.7	31
08/02/2012	74.7	80.2	144	124
14/02/2012	48.2	29	41	86.3
20/02/2012	105	52.4	77.6	140
26/02/2012	70.4	42.8	47.7	75
Monthly Mean	64	44	65	91
Yearly Mean	77	68	52	70

Wambo did not exceed the project criteria for the reporting period with all **annual averages** below $90\mu\text{g}/\text{m}^3$.

7.0 Blast Events

Four monitoring sites measure ground vibration and air blast overpressure for blasts conducted at Wambo. Seven blasts were conducted during the reporting period. Monitoring at all four sites is conducted under the blast monitoring requirements set out in the **Wambo EPA licence (EPL 529) and DA 305-7-2003**.

Wambo continues to comply with the EPL condition that 95 per cent of all blasts (in a reporting year) shall have overpressure results less than 115dB (linear peak) and ground vibration results less than 5 mm/s. There were no reported exceedances for the reporting period.

Table 5: Blast Results – February 2013

Date	Time	Location	Kelly Residence – A0728			Wambo Homestead – A0722			Harris Site – A6006			Muller Residence – A6005		
			Over Pressure (dB(L))	Vibration (mm/s)	Wave-form	Over Pressure (dB(L))	Vibration (mm/s)	Wave-form	Over Pressure (dB(L))	Vibration (mm/s)	Wave-form	Over Pressure (dB(L))	Vibration (mm/s)	Wave-form
01/02/13	15:31	M13WRA1	97.1	0.10	YES	95.6	0.15	YES	100.0	0.13	YES	107.7	0.45	YES
06/02/13	15:48	M17WWA6	102.1	0.13	YES	94.2	0.20	YES	93.4	0.30	YES	112.6	0.67	YES
08/02/13	15:48	M13WRA2	<111.0	<0.22	NO	93.7	0.10	YES	94.5	0.13	YES	103.3	0.30	YES
14/02/13	15:36	M19WWA3	94.2	0.12	YES	94.7	0.17	YES	98.3	0.13	YES	110.7	0.66	YES
21/02/13	15:37	M3WMA2	97.3	0.39	YES	104.9	0.36	YES	103.3	0.23	YES	114.6	1.38	YES
25/02/13	15:32	M14WRA1	<111.0	<0.22	NO	94.2	0.19	YES	98.9	0.10	YES	109.9	0.52	YES
27/02/13	15:34	B22WTA3	<111.0	<0.22	NO	<111.0	<0.22	NO	104.6	0.10	YES	107.0	0.13	YES

8.0 Real-Time Air Quality Monitoring

Four real time Tapered Element Oscillating Microbalance (**TEOM**) units were in operation during the reporting period. The sites are located at Coralie (**PM01**), the Caban residence (**PM02**), Thelander residence (**PM03**) and the Muller residence (**PM04**). These units measure particulate matter less than 10 microns in diameter (**PM₁₀**) on a continuous basis and provide a 24 hour average result. These units operated and sampled in accordance with **AS 3580.9.8 - 2002, Method for Sampling and Analysis of Ambient Air - Determination of Suspended Particulate Matter - PM₁₀ Continuous Direct Mass Method using a Tapered Element Oscillating Microbalance Analyser.**

All **PM₁₀** sites were within the yearly average criteria limits of **30ug/m³** for this reporting period.

Table 6 PM10 Results – February 2013

Date of Run	AQ01 (Coralie)		AQ02 (Wambo Road)		AQ03 (Thelander)		AQ04 (Muller)	
	PM10 24 Hour Result (ug/m ³)	YTD Average	PM10 24 Hour Result (ug/m ³)	YTD Average	PM10 24 Hour Result (ug/m ³)	YTD Average	PM10 24 Hour Result (ug/m ³)	YTD Average
01/02/13	18.9	24.45	19.0	25.68	11.6	19.77	16.3	20.67
02/02/13	4.5	24.35	4.9	25.58	4.2	19.70	6.2	20.60
03/02/13	16.4	24.32	13.1	25.52	13.4	19.67	15.4	20.58
04/02/13	18.2	24.29	14.7	25.47	19.3	19.67	17.2	20.56
05/02/13	17.8	24.26	*	*	17.9	19.66	20.7	20.56
06/02/13	18.3	24.23	16.0	25.31	18.7	19.65	21.7	20.57
07/02/13	24.4	24.23	20.7	25.29	21.3	19.66	28.4	20.61
08/02/13	28.5	24.25	31.6	25.32	43.8	19.77	34.4	20.67
09/02/13	32.2	24.29	35.8	25.37	31.8	19.83	40.7	20.76
10/02/13	24.9	24.29	30.6	25.39	26.0	19.85	27.3	20.79
11/02/13	11.0	24.23	9.3	25.32	9.4	19.81	11.5	20.75
12/02/13	13.2	24.18	9.0	25.25	12.2	19.77	13.5	20.71
13/02/13	16.2	24.15	10.0	25.18	14.9	19.75	19.0	20.71
14/02/13	15.4	24.11	10.1	25.11	14.5	19.73	20.3	20.71
15/02/13	19.3	24.09	8.9	25.04	20.0	19.73	18.7	20.70
16/02/13	19.2	24.07	7.1	24.96	14.7	19.71	18.1	20.69
17/02/13	18.9	24.04	12.6	24.91	16.8	19.69	21.1	20.69
18/02/13	28.4	24.06	11.3	24.85	19.5	19.69	20.6	20.69
19/02/13	25.8	24.07	16.5	24.81	25.1	19.72	23.8	20.70
20/02/13	23.6	24.07	15.1	24.77	20.0	19.72	28.2	20.73
21/02/13	21.3	24.06	14.1	24.73	17.9	19.71	18.2	20.72
22/02/13	22.3	24.05	15.6	24.69	15.2	19.69	17.1	20.71
23/02/13	11.6	24.00	7.6	24.62	10.8	19.65	9.8	20.66
24/02/13	19.4	23.98	13.8	24.57	14.0	19.63	15.3	20.64
25/02/13	19.1	23.96	15.8	24.53	22.6	19.64	18.5	20.63
26/02/13	23.2	23.95	20.0	24.51	19.6	19.64	21.8	20.63
27/02/13	19.2	23.93	18.0	24.49	18.9	19.64	23.0	20.64
28/02/13	15.7	23.90	14.3	24.45	9.2	19.60	15.0	20.62

Note: Results in red are greater than the 24hr period guidelines of 50ug/m³
 Results in red are greater than the annual average 24hr period guidelines of 30ug/m³
 Results in bold are between 30ug/m³ and 50ug/m³
 * Represents a value where the data could not be retrieved due to an operational error with the monitor.

Appendix A
Wambo Weather Station
Meteorological Data

Meteorological Data February 2013

Date	Temp (2m)			Temp (10m)			Temp Inversion			Humidity			Solar Radiation			Rain mm	Wind Speed		
	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max		Min	Avg	Max
01/02/13	17.4	23.0	32.2	18.0	23.5	31.2	-13.5	6.0	15.5	48.3	80.1	95.9	109.6	345.0	475.2	23.5	0.0	2.4	8.3
02/02/13	15.0	17.4	21.0	16.4	17.9	21.0	-1.1	5.7	17.7	56.5	73.5	93.3	150.7	364.3	459.2	7.4	0.1	3.4	5.6
03/02/13	12.9	18.7	23.9	14.6	19.4	23.9	-3.1	8.7	24.7	45.9	65.0	89.6	83.2	312.7	461.8	0.0	0.0	2.2	5.5
04/02/13	14.7	20.3	26.5	16.2	21.2	26.4	-3.7	10.3	28.5	47.5	72.4	95.8	79.9	301.4	447.4	0.0	0.0	2.4	6.0
05/02/13	15.7	21.0	26.5	17.4	21.6	26.5	-4.9	7.7	24.2	49.0	71.5	93.4	142.9	307.7	456.2	0.0	0.6	2.5	5.8
06/02/13	16.0	21.8	27.6	16.9	22.3	27.7	-3.6	6.5	18.2	40.0	67.0	92.8	139.8	308.3	458.0	0.0	0.0	2.0	5.0
07/02/13	14.0	22.4	29.7	15.0	23.1	29.7	-2.4	8.1	20.6	33.4	66.0	95.8	146.1	306.8	466.9	0.0	0.0	1.4	3.7
08/02/13	14.6	24.4	34.0	15.7	25.0	33.8	-9.6	7.8	30.9	30.2	65.0	96.4	-1.4	422.7	944.6	0.0	0.0	1.5	5.1
09/02/13	16.4	25.6	35.6	17.8	26.2	34.9	-11.8	7.1	20.0	31.4	66.3	96.5	72.6	302.8	447.7	0.0	0.0	1.4	4.6
10/02/13	19.5	25.5	35.4	20.1	26.0	34.7	-11.8	6.2	21.0	32.3	69.1	93.6	123.5	317.0	443.1	17.5	0.1	2.4	6.1
11/02/13	18.5	21.2	24.7	19.0	21.5	24.5	-4.5	4.2	9.2	68.7	82.6	96.0	-1.4	212.3	827.6	3.0	0.2	2.4	3.9
12/02/13	19.2	21.2	25.6	19.8	21.6	25.6	-6.0	4.5	9.1	61.7	80.1	93.2	-1.4	139.8	992.1	0.4	1.0	2.6	5.6
13/02/13	16.9	20.7	25.0	17.9	21.3	25.0	-0.7	6.6	19.4	48.2	72.7	94.5	-1.5	161.4	786.4	0.0	0.2	2.2	5.1
14/02/13	14.0	20.9	26.8	15.1	21.4	26.9	-4.3	6.2	13.3	44.5	70.0	95.8	-1.5	280.9	1059.1	0.0	0.0	2.0	5.5
15/02/13	16.4	21.4	25.7	17.2	21.9	25.6	-2.1	5.7	14.2	54.7	74.3	95.1	-1.5	232.4	959.8	0.0	0.0	2.6	6.1
16/02/13	17.9	21.4	26.6	19.0	21.9	26.7	-4.1	6.7	15.1	50.4	75.4	91.7	-1.5	184.3	1062.2	0.2	0.5	2.1	5.7
17/02/13	16.5	21.3	26.8	17.4	21.9	26.7	-3.3	7.0	16.9	43.0	71.1	95.4	-1.5	256.2	985.1	0.0	0.0	2.1	6.5
18/02/13	15.2	21.5	27.3	16.0	22.1	27.4	-3.7	6.5	15.5	48.3	71.0	94.2	-1.5	145.8	597.1	0.0	0.1	2.4	6.9
19/02/13	15.6	22.8	30.0	16.8	23.5	30.2	-2.3	8.3	18.9	38.7	72.3	96.5	-1.5	264.1	957.2	0.0	0.0	1.8	5.6
20/02/13	17.8	22.6	28.1	18.8	23.2	28.1	-2.7	6.7	12.8	50.7	75.3	94.6	-1.5	219.8	933.7	0.2	0.4	2.8	7.2
21/02/13	18.6	22.1	27.0	19.3	22.6	26.9	-1.9	6.6	13.1	54.4	80.6	96.4	-1.4	234.1	821.1	7.9	0.8	2.7	6.4
22/02/13	18.7	21.0	25.1	19.2	21.5	25.4	1.2	7.1	12.7	58.5	80.9	93.2	78.8	317.9	423.8	3.7	1.0	3.6	7.8
23/02/13	18.5	21.1	22.9	19.2	21.6	23.3	2.7	7.3	9.1	79.4	93.2	96.0	73.9	325.9	419.2	86.5	0.5	3.6	6.0
24/02/13	19.7	24.3	32.4	20.6	24.9	32.2	-3.0	7.0	12.8	51.5	83.1	97.0	-1.4	296.0	983.4	3.0	0.2	1.2	4.1
25/02/13	0.6	23.3	33.5	20.5	25.4	31.3	-78.5	26.8	290.5	58.0	80.5	96.9	-1.4	179.9	839.8	0.0	0.0	1.6	5.0
26/02/13	5.4	23.4	31.5	22.2	25.0	28.9	-96.4	19.3	225.1	57.2	75.4	88.9	-1.4	213.6	875.7	0.0	0.7	2.0	4.5
27/02/13	18.2	25.9	30.8	19.8	24.8	30.7	-93.2	-14.0	22.0	46.7	74.8	94.9	-1.4	296.5	937.1	0.0	0.0	0.8	2.1
28/02/13	16.9	23.5	30.7	17.3	24.0	30.8	-1.1	6.2	12.7	48.5	78.1	96.7	-1.5	143.0	775.0	15.9	0.0	2.3	5.7
MONTH	0.6	22.1	35.6	14.6	22.7	34.9	-96.4	7.2	290.5	30.2	74.5	97.0	-1.5	139.8	419.2	0.0	0.0	0.8	2.1