

**WAMBO COAL PTY LIMITED**  
**MONTHLY ENVIRONMENTAL MONITORING**  
**REPORT**  
**July 2013**

**Table of Contents**

<b>1.0</b>	<b>INTRODUCTION.....</b>	<b>1</b>
<b>2.0</b>	<b>METEOROLOGICAL DATA .....</b>	<b>1</b>
<b>3.0</b>	<b>SURFACE WATER SAMPLING .....</b>	<b>1</b>
<b>4.0</b>	<b>GROUNDWATER SAMPLING .....</b>	<b>3</b>
<b>5.0</b>	<b>DEPOSITIONAL DUST SAMPLING .....</b>	<b>4</b>
<b>6.0</b>	<b>HIGH VOLUME AIR SAMPLING .....</b>	<b>5</b>
<b>7.0</b>	<b>BLAST EVENTS.....</b>	<b>5</b>
<b>8.0</b>	<b>REAL-TIME AIR QUALITY MONITORING .....</b>	<b>7</b>

## 1.0 Introduction

This report presents environmental monitoring results for the reporting period **Monday 1 to Wednesday 31 July 2013**. Monitoring during this period includes meteorological measurement, surface and ground water sampling, depositional dust sampling, High Volume Air Sampling, blasting events and PM10 real time air monitoring results. Real time noise monitoring results are reported in a quarterly format and can be found on the Peabody Wambo website at <http://www.peabodyenergy.com/content/404/Australia-Mining-New/New-South-Wales/Wambo-Mine>

## 2.0 Meteorological Data

Results for reporting period are available in **Appendix A**.

## 3.0 Surface Water Sampling

Surface water samples are collected in accordance with **AS/NZS 5667.4:1998 – Guidance on sampling from lakes, natural and man-made** and **AS/NZS 5667.6:1998 – Guidance on sampling of rivers and streams**. All samples collected were analysed in the field for **pH**, electrical conductivity (**EC**) and temperature. Selected sites were analysed in a **NATA\*** accredited laboratory for total suspended solids (**TSS**) and total dissolved solids (**TDS**).

\*National Association of Testing Authorities - NATA is the authority that provides independent assurance of technical competence.

Surface water reporting for the period recorded that EC levels were outside the criteria limits at SW07, SW45 and SW46.

**Table 1: Monthly Surface Water Results – July 2013**

Sample Location	pH	EC (µS/cm)	TSS (mg/L)	TDS (mg/L)	Oil & Grease (mg/L)	Temp (°C)	Comments
<b>WOLLOMBI BROOK</b>							
Wollombi Brook							
SW01 - Wollombi Brook Up	8.00	597	6	319	-	-	-
SW03 - Wollombi Brook Pump Out	7.70	608	47	286	-	-	-
SW02 - Wollombi Brook Down	7.60	607	4	286	-	-	-
SW40 - Confluence with SWC	8.00	677	7	435	-	-	-
<b>NORTH WAMBO CREEK</b>							
North Wambo Creek							
SW04 - North Wambo Creek Up	-	-	-	-	-	-	Sample site dry
SW27a - North Wambo Creek Middle Lower	-	-	-	-	-	-	Sample site dry
SW32a - North Wambo Creek Pump	-	-	-	-	-	-	Sample site dry
SW05 - North Wambo Creek Down	7.50	1,909	13	1,050	-	-	-
<b>SOUTH WAMBO/STONY CREEKS</b>							
South Wambo/Stony Creek							
SW06 - South Wambo Creek	7.50	516	68	280	-	-	-
SW07 - South Wambo/Stony Creek	7.60	971	4	411	-	-	-
SW08 - Stony Creek	-	-	-	-	-	-	Sample site dry
<b>LONGFORD/DOCTOR'S CREEKS</b>							
SW43 - Longford Creek Up	7.60	228	52	176	<2	-	-
SW44 - Longford Creek Down	7.50	<b>640</b>	<b>82</b>	<b>440</b>	<2	-	-
SW46 - Doctors Creek Up	8.70	<b>8,540</b>	16	5,240	<2	-	-
SW45 - Doctors Creek Down	8.70	<b>8,710</b>	17	5,010	<5	-	-
<b>WATERFALL CREEK</b>							
SW39 - Waterfall Creek Midstream	-	-	-	-	-	-	Sample site dry
<b>MINE WATER DAMS</b>							
SW11 - West Cut Dam Pipe	Not Pumping						
SW12 - West Cut Dam	9.00	5,500	-	-	-	-	-
SW14 - Box Cut Dam (Admin)	8.20	674	-	-	-	-	-
SW15 - Eagles Nest Dam	8.80	5,870	34	3,320	-	-	-
SW20 - Dam Adjacent to West Cut Dam	8.50	1,872	-	-	-	-	-
SW29 - SCB Dam	7.90	1,599	-	-	-	-	-
SW30 - Turkeys Nest	9.00	6,790	-	-	-	-	-
SW31 - Gordon Below Franklin	9.10	5,120	-	-	-	-	-
SW37 - Wollemi Sump	8.60	2,250	-	-	-	-	-
SW38 - Homestead Open Cut	8.70	6,560	-	-	-	-	-
SW47 - NWU Pumpout Water	-	-	-	-	-	-	Sample site dry
SW48 - Inpit sample	7.70	1,266	-	-	-	-	-
SW49 - Bates Pit Pumpout	8.40	6,430	-	-	-	-	-
SW51 - South Dam	8.7	5680	-	-	-	-	-
SW50 - Hunter River Water	Not Pumping						

**Note:** Figures in bold are outside trigger levels.

## 4.0 Groundwater Sampling

Groundwater sampling is completed on a bi-monthly schedule. The next event is to occur during August.

**Table 2: Ground Water Results – July 2013**

Sample Location	pH	EC ( $\mu\text{S/cm}$ )	Depth to Water (m)	Temp ( $^{\circ}\text{C}$ )	Comments
GW02	-	-	-	-	-
GW11	-	-	-	-	-
P106	-	-	-	-	-
P109	-	-	-	-	-
P110	-	-	-	-	-
P111	-	-	-	-	-
P114	-	-	-	-	-
P116	-	-	-	-	-
P202	-	-	-	-	-
P206	-	-	-	-	-
P301	-	-	-	-	-
P311	-	-	-	-	Collapsed
P315	-	-	-	-	-
GW12	-	-	-	-	-
GW13	-	-	-	-	-
GW14	-	-	-	-	-
GW15	-	-	-	-	-
GW16	-	-	-	-	-
GW17	-	-	-	-	-
GW18	-	-	-	-	-
GW19	-	-	-	-	-
GW20	GW20 is a vibration wire multi-piezometer installation				
GW21	-	-	-	-	-
GW22	-	-	-	-	-
P1	-	-	-	-	-
P3	-	-	-	-	-
P5	-	-	-	-	-
P6	-	-	-	-	-
P11	-	-	-	-	-
P12	-	-	-	-	-
P13	-	-	-	-	-
P15	-	-	-	-	-
P16	-	-	-	-	-
P17	-	-	-	-	-
P18	-	-	-	-	-
P20	-	-	-	-	-

**Note:** All depths measured to top of casing, except United bores which are to ground. Figures in bold are outside trigger levels listed in Table 5 of the Ground Water Monitoring Programme (GWMP), which is part of the Site Water Management Plan.

\* Represents data that is provided on a quarterly basis. The results are to be updated once available.

## 5.0 Depositional Dust Sampling

Sixteen (Table 3) depositional dust gauges were collected for the reporting period. Sampling and analysis is conducted in accordance with AS 3580.10.1 – 1991 – *Determination of particulates – Deposited matter – Gravimetric method*. All gauges were analysed for insoluble solids (IS) and ash residue (AS). Field observations include water quantity and quality, and any visible contaminants in the sample.

**Table 3: Dust Deposition Results – July 2013**

Site	Insoluble Solids (IS) (g/m <sup>2</sup> .month)	Ash Residue (AR) (g/m <sup>2</sup> .month)	IS:AR Ratio	IS YTD Average (g/m <sup>2</sup> .month)	AR YTD Average (g/m <sup>2</sup> .month)
D01	8.1	3.0	37	8.3	4.4
D03	1.6	1.2	75	3.0	2.2
D07	3.8	2.9	76	4.9	3.2
D09	2.3	1.5	65	4.6	2.7
# D11	2.1	1.2	57	3.0	2.1
# D12	1.4	1.0	71	2.8	2.2
# D17	1.9	1.7	89	3.7	1.8
D19	1.1	0.7	64	3.1	2.1
D20	1.9	1.2	63	1.8	1.2
# D21	0.5	0.5	100	2.2	1.8
# D22	0.9	0.6	67	2.1	1.5
D23	0.9	0.7	78	1.7	1.1
# D24	0.4	0.3	75	1.1	0.8
# D25	0.7	0.6	86	2.8	1.9
D26	0.8	0.6	75	1.3	0.9

**Note:** Results in **bold** are YTD average above 4g/m<sup>2</sup>/month  
Results # are dust gauges not on WCPL owned land. DD gauges on Wambo Coal land and above criteria level are not considered non-compliance.

Insoluble solid results are reported on the **annual average** of **4g/m<sup>2</sup>/month** of all **uncontaminated results** which are not located on Wambo Coal owned land. All Depositional Dust gauges located outside of Wambo owned land were within prescribed criteria level for the reporting period.

## 6.0 High Volume Air Sampling

Four high volume air sampler (HVAS) operated at locations surrounding Wambo during the reporting period (Table 4). All units sampled Total Suspended Particulates (TSP) over a 24-hour period on a six day cycle, in accordance with AS 2724.3 – 1984 – *Determination of total suspended particulates (TSP) – High volume sampler gravimetric method*.

**Table 4: HVAS Results – July 2013**

Date of Run	HV01 - Coralie TSP ( $\mu\text{g}/\text{m}^3$ )	HV02 - Caban TSP ( $\mu\text{g}/\text{m}^3$ )	HV03 - Thelander TSP ( $\mu\text{g}/\text{m}^3$ )	HV04 - Muller TSP ( $\mu\text{g}/\text{m}^3$ )
02/07/13	25.1	15.6	17	18.1
08/07/13	27.6	53.6	13	16.8
14/07/13	31.4	37.8	31.3	45.4
20/07/13	26.9	14.2	7.9	7.8
26/07/13	37.9	60.3	11.7	11
<b>Monthly Mean</b>	30	36	16	20
<b>Yearly Mean</b>	65	63	43	58

Wambo did not exceed the project criteria for the reporting period with all **annual averages** below  $90\mu\text{g}/\text{m}^3$ .

## 7.0 Blast Events

Five monitoring sites measure ground vibration and air blast overpressure for blasts conducted at Wambo. Three blasts were conducted during the reporting period. Monitoring at all five sites is conducted under the blast monitoring requirements set out in the **Wambo EPA licence (EPL 529) and DA 305-7-2003**.

Wambo continues to comply with the EPL condition that 95 per cent of all blasts (in a reporting year) shall have overpressure results less than 115dB (linear peak) and ground vibration results less than 5 mm/s.

**Table 5: Blast Results – July 2013**

Date	Time	Location	Kelly Residence – A0728			Wambo Homestead – A0722			Harris Site – A6006			Muller Residence – A6005		
			Over Pressure (dB(L))	Vibration (mm/s)	Wave-form	Over Pressure (dB(L))	Vibration (mm/s)	Wave-form	Over Pressure (dB(L))	Vibration (mm/s)	Wave-form	Over Pressure (dB(L))	Vibration (mm/s)	Wave-form
3/7/2013	7:26:24	M17RCA1	96.0	0.08	Yes	89.5	0.10	Yes	97.2	0.06	Yes	110.1	0.31	Yes
18/7/2013	15:39:00	M12WMA1	97.5	0.32	Yes	<111.0	<0.22	No	97.9	0.27	Yes	106.9	0.78	Yes
29/7/2013	11:12:00	M4WMA1	<111.0	<0.22	No	105.0	0.39	Yes	114.2	0.25	Yes	109.8	0.86	Yes

Date	Time	Location	Thelander Residence – A0728		
			Over Pressure (dB(L))	Vibration (mm/s)	Wave-form
3/7/2013	7:26:24	M17RCA1	97.7	0.33	Yes
18/7/2013	15:39:00	M12WMA1	100.9	0.76	Yes
29/7/2013	11:12:00	M4WMA1	96.8	1.00	Yes

## **8.0 Real-Time Air Quality Monitoring**

**Four** real time Tapered Element Oscillating Microbalance (**TEOM**) units were in operation during the reporting period. The sites are located at Coralie (**PM01**), the Caban residence (**PM02**), Thelander residence (**PM03**) and the Muller residence (**PM04**). These units measure particulate matter less than 10 microns in diameter ( $PM_{10}$ ) on a continuous basis and provide a 24 hour average result. These units operated and sampled in accordance with **AS 3580.9.8 - 2002, Method for Sampling and Analysis of Ambient Air - Determination of Suspended Particulate Matter -  $PM_{10}$  Continuous Direct Mass Method using a Tapered Element Oscillating Microbalance Analyser.**

All **PM10** sites were within the yearly average criteria limits of **30ug/m<sup>3</sup>** for this reporting period.



**Table 6 PM10 Results – July 2013**

Date of Run	AQ01 (Coralie)		AQ02 (Wambo Road)		AQ03 (Thelander)		AQ04 (Muller)	
	PM10 24 Hour Result (ug/m <sup>3</sup> )	YTD Average	PM10 24 Hour Result (ug/m <sup>3</sup> )	YTD Average	PM10 24 Hour Result (ug/m <sup>3</sup> )	YTD Average	PM10 24 Hour Result (ug/m <sup>3</sup> )	YTD Average
01/07/13	10.5	10.50	4.6	4.60	6.0	6.00	3.7	3.70
02/07/13	11.8	11.15	9.0	6.80	8.7	7.35	3.9	3.80
03/07/13	9.8	10.70	8.9	7.50	6.1	6.93	2.5	3.37
04/07/13	11.0	10.78	15.3	9.45	8.3	7.28	4.0	3.53
05/07/13	11.2	10.86	15.2	10.60	7.0	7.22	4.4	3.70
06/07/13	12.3	11.10	17.9	11.82	8.2	7.38	4.8	3.88
07/07/13	9.7	10.98	18.8	12.81	6.9	7.31	4.3	3.94
08/07/13	11.5	10.98	18.3	13.50	7.7	7.36	5.7	4.16
09/07/13	16.6	11.60	15.6	13.73	14.5	8.16	13.3	5.18
10/07/13	10.5	11.49	13.6	13.72	13.5	8.69	14.2	6.08
11/07/13	15.1	11.82	14.5	13.79	14.2	9.19	12.9	6.70
12/07/13	5.1	11.26	13.3	13.75	9.6	9.23	5.9	6.63
13/07/13	15.8	11.61	15.3	13.87	12.2	9.45	9.9	6.88
14/07/13	13.7	11.76	16.0	14.02	13.6	9.75	15.6	7.51
15/07/13	12.6	11.81	14.6	14.06	9.5	9.73	9.0	7.61
16/07/13	10.0	11.70	8.7	13.73	5.4	9.46	4.8	7.43
17/07/13	11.2	11.67	8.8	13.44	6.4	9.28	5.8	7.34
18/07/13	10.4	11.60	11.6	13.33	7.3	9.17	7.9	7.37
19/07/13	11.3	11.58	11.2	13.22	6.5	9.03	5.7	7.28
20/07/13	8.7	11.44	7.2	12.92	5.6	8.86	3.8	7.11
21/07/13	7.8	11.27	10.5	12.80	6.0	8.72	4.4	6.98
22/07/13	9.8	11.20	10.2	12.69	5.6	8.58	4.2	6.85
23/07/13	9.9	11.14	10.6	12.60	4.7	8.41	3.3	6.70
24/07/13	10.6	11.12	19.6	12.89	8.8	8.43	8.9	6.79
25/07/13	18.0	11.40	22.9	13.29	13.2	8.62	13.8	7.07
26/07/13	14.9	11.53	22.4	13.64	9.6	8.66	8.7	7.13
27/07/13	15.0	11.66	22.4	13.96	14.5	8.87	14.1	7.39
28/07/13	14.4	11.76	24.4	14.34	13.6	9.04	14.9	7.66
29/07/13	15.0	11.87	19.5	14.51	10.8	9.10	11.3	7.78
30/07/13	12.0	11.87	22.7	14.79	8.9	9.10	7.6	7.78
31/07/13	10.4	11.83	11.7	14.69	12.7	9.21	11.9	7.91

**Note:** Results in **red** are greater than the 24hr period guidelines of 50ug/m<sup>3</sup>  
 Results in **red** are greater than the annual average 24hr period guidelines of 30ug/m<sup>3</sup>  
 Results in **bold** are between 30ug/m<sup>3</sup> and 50ug/m<sup>3</sup>  
 \* Represents a value where the data could not be retrieved due to an operational error with the monitor.

**Appendix A**  
**Wambo Weather Station**  
**Meteorological Data**

## Meteorological Data July 2013

Date	Temp (2m)			Temp (10m)			Temp Inversion			Humidity			Solar Radiation			Rain	Wind Speed		
	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	mm	Min	Avg	Max
01/07/13	6.7	11.8	17.5	8.4	13.0	17.6	0.5	15.7	36.8	64.6	86.7	97.2	35.5	329.2	441.8	0.2	0.3	1.4	2.5
02/07/13	4.9	10.6	19.0	6.2	11.8	19.1	-5.0	14.8	38.2	54.6	84.9	98.0	43.2	345.8	457.2	0.2	0.1	1.3	2.2
03/07/13	2.1	8.6	18.8	2.8	9.4	18.5	-6.8	10.0	31.7	45.3	85.7	98.4	54.4	344.9	463.4	0.0	0.2	1.3	2.3
04/07/13	1.4	12.0	22.5	2.5	13.1	22.3	-1.7	14.2	47.1	46.7	76.5	98.5	19.5	312.2	456.0	0.2	0.3	1.8	3.3
05/07/13	6.8	15.9	20.5	9.9	16.9	20.7	0.6	12.2	38.2	31.3	49.8	72.7	42.6	279.1	428.1	0.0	1.0	2.4	3.3
06/07/13	3.1	9.7	16.2	4.8	10.6	16.3	-2.0	10.9	35.1	32.7	58.1	91.2	55.7	324.5	455.4	0.0	0.1	2.3	3.6
07/07/13	1.0	7.5	17.4	2.4	8.8	17.2	-6.7	16.6	44.2	40.2	74.7	96.2	32.4	342.1	468.9	0.0	0.2	1.4	2.5
08/07/13	-1.6	6.3	17.3	-0.3	7.4	17.6	-4.5	13.7	37.5	39.6	79.5	97.6	50.9	353.6	494.2	0.0	0.1	1.2	2.2
09/07/13	0.3	8.3	14.9	1.7	9.1	15.1	-2.4	10.4	27.3	57.0	84.3	97.2	61.8	335.7	480.8	0.0	0.3	1.4	2.7
10/07/13	7.5	10.9	15.5	9.2	11.7	15.6	0.3	9.9	23.3	62.1	83.8	95.8	43.7	331.2	433.8	0.0	0.2	1.2	2.2
11/07/13	6.4	11.3	17.8	7.8	12.2	17.7	-2.6	10.5	26.1	60.8	85.5	97.2	55.2	332.0	483.2	0.0	0.2	1.1	1.7
12/07/13	4.3	9.9	17.9	5.4	10.7	17.8	-3.8	10.8	33.4	63.2	90.6	98.3	60.9	386.4	504.9	0.0	0.1	1.2	2.5
13/07/13	5.0	10.8	18.8	5.7	11.7	18.9	-8.0	10.9	30.7	58.0	86.6	98.4	45.5	352.2	484.9	0.2	0.3	1.1	2.2
14/07/13	4.6	10.9	17.7	5.5	11.6	17.6	-4.7	9.9	29.9	64.5	89.1	98.3	43.6	338.1	463.3	0.5	0.2	1.2	1.9
15/07/13	10.2	14.2	19.6	11.0	14.9	19.7	-9.7	8.0	20.6	60.3	85.7	97.8	-0.8	291.6	436.8	0.9	0.0	1.3	2.6
16/07/13	9.1	13.8	20.0	10.4	14.6	19.9	-9.4	10.9	28.6	62.5	89.5	98.0	50.7	346.0	453.1	0.4	0.1	1.3	2.8
17/07/13	8.7	14.0	22.6	9.8	14.8	22.8	-3.9	9.9	30.6	52.1	84.8	98.2	-0.6	305.5	454.6	0.2	0.2	1.4	2.9
18/07/13	6.3	13.5	22.6	7.1	14.4	22.5	-3.8	11.5	28.6	49.4	83.9	98.3	18.7	318.6	451.4	0.0	0.2	1.2	2.5
19/07/13	8.3	14.6	20.4	9.8	15.8	20.7	2.8	14.9	63.7	55.2	84.8	98.1	41.0	302.2	432.1	3.0	0.1	1.9	3.4
20/07/13	10.9	15.1	19.4	11.6	15.7	19.7	1.0	7.8	18.4	41.5	68.3	94.6	-0.9	176.6	400.1	3.7	1.1	2.7	3.9
21/07/13	0.8	9.2	15.6	2.8	10.3	15.7	-1.1	12.7	49.0	30.9	62.4	94.7	-0.8	225.8	436.6	0.0	0.1	2.4	3.6
22/07/13	-1.3	8.5	16.7	0.9	9.6	16.7	-1.4	14.3	38.7	34.9	63.6	97.3	-0.9	314.7	454.6	0.0	0.3	2.0	3.9
23/07/13	0.3	9.6	16.9	3.0	10.7	16.9	-4.3	13.8	53.2	41.6	63.4	95.4	-1.0	221.6	449.1	0.0	0.3	2.1	3.6
24/07/13	3.8	10.0	17.6	6.1	11.3	17.5	-0.3	16.0	43.0	45.5	70.8	94.6	-0.9	192.0	411.0	0.0	0.6	1.9	3.0
25/07/13	0.5	7.9	18.1	1.8	9.0	18.1	-4.3	13.9	34.5	41.0	79.5	97.7	-0.6	319.8	443.5	0.0	0.3	1.2	2.2
26/07/13	0.6	8.1	19.2	1.6	9.5	19.4	-2.0	17.0	49.2	33.2	73.9	98.0	-0.8	286.9	421.2	0.0	0.2	1.8	3.8
27/07/13	-0.6	7.9	18.4	0.9	9.2	18.6	-3.0	16.9	42.8	42.7	78.5	97.4	-0.8	285.5	428.8	0.0	0.1	1.2	2.0
28/07/13	1.3	8.8	19.5	2.4	9.9	19.5	-7.2	13.7	39.3	46.3	83.7	98.1	-0.9	249.6	423.6	0.0	0.2	1.1	2.2
29/07/13	1.2	10.0	21.9	2.2	11.2	21.9	-9.0	15.0	44.2	37.8	79.3	98.2	-1.7	204.2	559.6	0.0	0.1	1.1	2.4
30/07/13	3.7	12.1	21.2	4.9	12.9	21.4	-5.5	10.3	27.5	44.1	78.0	97.4	-0.8	212.5	562.7	0.2	0.1	1.6	2.9
31/07/13	8.2	13.9	17.7	10.5	14.7	17.6	-2.9	9.4	31.0	60.7	77.8	95.4	-0.8	155.1	370.7	0.2	0.2	2.0	2.9
<b>MONTH</b>	<b>-1.6</b>	<b>10.8</b>	<b>22.6</b>	<b>-0.3</b>	<b>11.8</b>	<b>22.8</b>	<b>-9.7</b>	<b>12.5</b>	<b>63.7</b>	<b>30.9</b>	<b>78.2</b>	<b>98.5</b>	<b>-1.7</b>	<b>294.0</b>	<b>562.7</b>	<b>9.7</b>	<b>0.0</b>	<b>1.6</b>	<b>3.9</b>